DISCUSSION PAPERS IN ECONOMICS

Working Paper No. 02-19

Inequality and Pharmaceutical Drug Prices: An Empirical Exercise

Eina Vivian Wong
Department of Economics, University of Colorado at Boulder
Boulder, Colorado

October 2002



Inequality and Pharmaceutical Drug Prices:

An Empirical Exercise

Eina Vivian Wong

University of Colorado

October 23, 2002

Abstract:

Several studies report that in both developed and developing countries, poorer individuals go without medical care, including pharmaceuticals. This is associated with both low income and inequality in income. Data also show that pharmaceutical prices in developing countries are sometimes higher than those in developed countries for identical products. While several studies find that per capita income has a significant and positive effect on pharmaceutical prices, the effect of income inequality has not been tested. The purpose of this paper is to estimate the effects of income inequality and per capita income on disaggregated prices of pharmaceutical drugs across countries. I find that inequality has a statistically significant and positive effect on prices. Per capita income, on the contrary, does not add significance to the model.



indexes, Danzon and Chao (2000) and Danzon (1997) show that drug prices in the United States are not the highest among developed countries. Germany and Canada have higher drug price indexes. The latter study also shows Switzerland and Sweden have higher prices than the United States. Studies by the U.S. General Accounting Office, on the other hand, show that US prices are 32-60% higher than prices in Canada and the United Kingdom.³ A House of Representatives

³GAO (1992, 1994).

⁴House of Representatives (1998).

⁵See also Ballance et al (1992) and Lanjouw (1998) for examples of international price differentials.

significant part of health.⁷

Le Grand (1987) uses several measures of income inequality, including the Gini coefficient, to explain mortality rates in 22 high-, middle-, and low-income countries. He finds that as income is more unequally distributed, inequalities in health rise. Rodgers (1979) plots life expectancy at birth against per capita GDP and finds a positive, concave relationship. With that, he concludes that the reciprocal of average income explains life expectancy. In a simple regression, the reciprocal of average income is significant and negative, implying average income raises life expectancy. The Gini coefficient also has a significant and negative effect, implying that greater income inequality lowers life expectancy. When using the sample of less developed countries only, the Gini has an even larger negative effect on life expectancy.

Flegg (1982) uses a log-linear specification to estimate the effects of the Gini coefficient and GDP per capita on infant mortality rates for 46 underdeveloped countries. The Gini has a significant, positive effect on infant mortality. Flegg suggests that it has an indirect effect on

⁷Frech and Miller (1999) show that pharmaceuticals have a positive and significant effect on life expectancy in their sample of 16 European countries.

economic growth literature: terms of trade, investment-GDP ratio, black market premium, and deviations of exchange rates from purchasing power parity levels. The results are robust: all instruments have significant and negative effects, although the magnitudes differ slightly.

Because these instruments are arguably exogenous to health status, they conclude that the direction of causality is one-way: income influences health, and not the other way around.

The studies reviewed above show that per capita income and income inequality play a statistically significant role in health inequalities. Specifically, higher income inequality and low per capita income lead to worse health for poorer people. Pharmaceuticals are a significant component of better health; the lack of access to appropriate pharmaceutical products may also lead to worse health. One reason for the lack of access could be that income inequality increases drug prices. If income inequality leads to higher drug prices, then the low-income population may not have affordable access to drugs. Health status may decline as a result. Thus, my research is complementary to this literature in that it examines one component of rising health inequalities.

Health inequalities may also result from unequal distribution of particular goods, including medical facilities. In developing countries, for example, rural populations must travel a longer distance to clinics than urban dwellers. Most people living in rural areas are also low-income. They are less likely to incur the cost of travel as well as lost wages for making the visit. Thus, low-income, rural inhabitants are less likely to receive medical care, including pharmaceuticals. I attempt to control for some of these distributional issues using demographic variables, including the rural population density and the elderly population (who are usually

fungal infections (including meningitis associated with AIDS), allergies, emphysema, smoking, psychosis, acid/peptic disorders, depression, insomnia, liver cirrhosis, schizophrenia and migraines. The drug products fall into seven one-digit ATC categories, given in the following table with the total number of drug products in the sample (pooled for both years and across countries):

A-Heartburn/ulcer	201
C-Cardiovascular	499
G-Sex hormones	37
J-Antibiotics	237
L-Immune system	161
N–Central Nervous system	355
R-Respiratory	401

While some of the indications listed predominantly result from lifestyle choices (e.g., smoking, liver cirrhosis, and high cholesterol), some exist because of a genetic disposition.

There is no conclusive evidence that individuals with lower incomes are more or less susceptible to particular diseases. Rather, there are strong correlations. For example, many of these diseases are prevalent among poor communities. Emphysema and liver cirrhosis are on the rise in developing countries as tobacco smoking and consumption of spirits increase. Typhoid fever, gonorrhea, diarrhea, and other respiratory diseases are also widespread.

The following analysis shows there are large price differentials between low-income and high-income countries.

the literature on pharmaceutical pricing focuses on the inaccuracies of price measurement.¹⁰ A representative price, usually calculated as an index, may be used to compare prices across markets and countries. Price indexes are influenced by the weights used. In addition, the forms and strengths available differ across countries, which may affect the index. In this analysis, a 5 mg A-tablet is the same in all countries in which it is available and thus avoids these issues. This section follows the methods used in Maskus (2001).

The total number of drug products available in each country (pooled for both years)is

¹⁰See, for example, Berndt, et al (2000), Danzon (1997), Danzon and Chao (2000).

higher strengths per dosage.¹¹ Limiting comparisons to drug products that are available in every country is not feasible because there are not many observations.

North America

The sample is restricted such that a price for each drug product must exist in at least two of the following three countries: United States, Canada, and Mexico. This gives us a sample of 21 drugs and 51 products in 1994, and 25 drugs and 83 products in the 1998 sample. Relative prices are listed in Table 1.

Of the 23 products available in the United States and Mexico in 1994, eight (35%) were priced higher in Mexico. In 1998, this figure dropped to 25% (9 of 36); five of these drugs were not available in 1994. Drugs that were more expensive were classified as cardiovascular (C), immunosuppresive (L), and of the central nervous system (N). The average price in Mexico in this sample was lower in both years. In 1994, the median price was 29% lower; in 1998, 26% lower.

Nine of the 36 products available in the United States and Canada were priced higher in Canada in 1994. Only three of 54 products were priced higher in Canada in 1998, all of which were available in 1994. The more expensive drugs were classified as those affecting the alimentary tract (A), cardiovascular drugs, antibiotics (J), immunosuppresive, and nervous system drugs. The median drug price in Canada in 1994 was 23% lower. In 1998, the median Canadian price was 44% lower than average US prices.

Finally, 67% (14 of 21) of products available in Canada and Mexico were more expensive

¹¹Schweitzer (1997).

priced higher in Italy than in the UK. This proportion fell to 14% (8 of 56) in 1998. The decrease may be explained by Italy's use of international price comparisons, which help keep Italian prices relatively low. Only two of the more expensive drugs in 1998 were unavailable in 1994. The median Italian drug price was lower than British prices by 12% in 1994, and 23% in 1998. The more expensive drugs in Italy were predominantly those that treated cardiovascular and central nervous system disorders.

The number of higher-priced drugs in Spain fell from 26% (11 of 43) to 7% (4 of 60) between 1994 and 1998. Only two of the more expensive drugs in 1998 were unavailable in 1994. The more expensive drugs fell into all ATC categories, except G. The median Spanish drug price was lower than British prices by 15% in 1994, and 28% in 1998. Spain also uses price and profit controls.¹⁵

In 1994, 52% (16 of 31) of Czech drugs were priced higher relative to UK drugs. The proportion fell to 13% (8 of 63) in 1998. The median Czech price was higher than Britain's by 2% in 1994, but was lower by 25% in 1998. One drug in particular was priced three and one-half times more than the same drug in the UK. Ockova (1997) describes the Czech Republic's compliance with world intellectual property regulations, but the government also imposes extensive price and profit regulations. She reports average price levels to be "much lower" than the average world price for pharmaceuticals. In my sample, this does not appear to be the case. Main product lines include antibiotics, anti-diabetics, and hypertension drugs.

Finally, 61% (19 of 31) of the common drugs between Sweden and the UK were priced higher in Sweden in 1994. This figure decreased to 36% (20 of 55) in 1998. The median price in

¹⁴Danzon (1997).

¹⁵Ballance et al (1992).

Sweden was higher than in the UK by 4% in 1994, but was lower by 4% in 1998. Sweden had a system of substantial price controls as of 1992.¹⁶

Asia

The sample is restricted such that a price for each drug product must exist in at least two of the following three countries: Japan, Korea, and Thailand. Relative prices are listed in Table 3.

Eighty percent (4 of 5) of the drugs in Japan were priced higher than in Thailand in 1994, whereas 82% (9 of 11) were priced higher in 1998. Japan uses a system of drug reimbursement which creates incentives for drug firms to limit their prices to levels considered low by industrialized country standards. Drug consumption is also the highest in the world.¹⁷ Parallel imports of patented drugs are allowed.¹⁸

Seventy-one percent (12 of 17) of the common drugs were priced higher in Korea than in Thailand in 1994. This proportion fell to 56% (18 of 32) in 1998. On average, drug prices in both Japan and Korea were greater than in Thailand. Japanese drugs were priced more than two times higher in both years. Korean drugs were priced 20-24% higher on average. These results probably reflect the lack of intellectual property enforcement in Thailand. Many branded drugs are imported but at reportedly lower quality. Price controls exist for essential drugs. Substantial price controls also exist in Korea. Substantial price controls also exist in Korea.

¹⁶Ballance et al (1992).

¹⁷Danzon (1997).

¹⁸Maskus (2001).

¹⁹Espicom (1995).

²⁰Ballance et al (1992).

²¹Ballance et al (1992)

B. Comparisons by Income

To see how this sample fits into the literature, I compare prices of drugs that are available bilaterally with the United States. In 1994, there is a maximum of 54 relative prices for each country-comparison. In other words, there are only 54 drugs that are available in the United States and at least one other country in the sample. In 1998, there is a maximum of 88 relative prices. The sample is divided into high-income and middle-income economies compared to the United States.

High-Income Countries

The sample of high-income, or industrialized, countries includes the UK, Japan, Italy, Spain, Canada, and Sweden. Relative prices are listed in Table 4.

On average, drug prices in these countries were lower than average prices in the United States. Exceptions are the average drug prices in Japan and Canada in 1994. The majority of drugs whose prices were higher relative to US prices were drugs classified as cardiovascular, immunosuppressive, antibiotic, and those treating disorders of the central nervous system. For both years, Spain did not have any drugs priced above US levels.

Middle-Income Countries

The sample of middle-income countries includes Brazil, Mexico, the Czech Republic, Korea, Thailand and South Africa. Relative prices are listed in Table 5. In 1994, all countries had at least one higher-priced drug than in the United States. Two of 18 common drugs were priced higher in Brazil than in the United States. This proportion increased to 5 of 41 drugs in

1998. Brazil has a system of limited price controls.²² Specifically, drugs for long-term use are subject to controls. The Czech Republic had higher prices for 10% of its drugs for both years. For both Korea and Thailand, the proportion of higher-priced drugs fell, but is still positive.

South African drug prices, were on average 3% more expensive than US drugs in 1994. Thirty-six percent (8 of 22) of drugs in 1994, and 14% (6 of 42) in 1998, were more expensive in South Africa. The government allows parallel imports of patented drugs.²³


While it may be argued that for the majority of drugs included in the present sample prices are lower in developing countries compared to the United States, the expenditure share of these drugs must also be considered. Ganslandt, Maskus and Wong (2001) show that for several branded anti-retroviral (HIV/AIDS) drugs, prices in South Africa are a fraction of US prices. When the cost of a year's treatment is calculated as a share of annual per capita income, however, the budget share of HIV/AIDS drugs is not different from that of an infected individual in the United States. Depending on the brand of drug, the budget share in South Africa may be even higher.

V. Theoretical Hypotheses

This paper tests the hypotheses put forth in Wong (2002). Wong develops a variation on tha lu-10.9(5)1..5(r b29.5(po)9.5(oveodnd W)nsidumpon of requir are minimum come, lelop The g)ice coelaille

²²Ballance et al (1992).

²³Source?



where p_{ij} is the price of drug product i in country j, $j=\{1,...,K\}$. G is the Gini coefficient, defined

 ²⁴Data on Gini coefficients are from the World Bank Development Indicators (2001) for the last year available. There are only 13 Gini coefficients in the dataset. In order to transform the Gini coefficients using logarithms, I multiplied by 100. (Gini coefficients are calculated naturally as a number between zero and one.)
 ²⁵A summary of regulations and existence of parallel trade activity is included in the appendix.

<u> </u>	1

significant. These results possibly indicate that pricing and social health policies in these countries result in lower drug prices compared to the United States (the omitted country dummy). This is consistent with the analysis of relative prices presented in section IV. With the exception of ATC category L, drugs in all ATC categories included in the sample are on average priced lower than the United States. The adjusted R-squared statistic is 0.51.

The coefficient estimates of the country dummies may be ranked in the following order from lowest to highest: Canada, Japan, Czech Republic, Sweden, UK, Italy, Korea, Brazil, Mexico, Spain, South Africa, and Thailand. Recall that these coefficients may be interpreted as the average drug price in each country relative to the average drug price in the United States. The magnitudes partly reflect the extent of price and profit controls in each country. The above results suggest that Canada, Japan, Czech Republic and Sweden are less restrictive compared to the four countries with the highest price deviations from the United States. They also suggest that of the countries sampled, Canada has the least restrictive regulations relative to the United States. This is doubtful because Canada is known to be interventionist in its pricing policies. Mexico and Spain both had substantial price controls during the 1990s. South Africa and

²⁶This figure is calculated as: 2 $_{1}(\log G) = 2(.19)(3.588)$, where $(\log G)$ is the mean of $\log G$.

Robustness

To check that the results are robust, I use the income share of the richest 20% of the population in each.9(co)-5ttr.4(9s)5eachplac the rich8.1iftte sAs income share of the ripor in e0(T0.00007 Tc80.

²⁷See Schut and van Bergeijk (1986) and Scherer and Watal (2001).

²⁸In this sample, the Pearson correlation coefficient between the Gini and GNP per capita is -0.55. The empirical relationship between the Gini and income is ambiguous. Some studies find income to be a significant determinant of income inequality, but this relationship may be positive or negative. Sundrum (1990) presents an excellent review of the literature. He stresses that there is no clear relationship between income and inequality.

have better access to medical care compared to other countries. Evidence in Thailand and South Africa, for example, show that medical facilities are located mainly in urban cities, and travel to these facilities are difficult for those living in the rural areas. Neither population density variables test significantly.

One-third of the total pharmaceutical consumption is attributed to the elderly in the United States. This statistic is also similar for other high-income countries. The population of the elderly (defined to be older than 65 years) as a percentage of total population may influence the price of pharmaceuticals. Typically, the elderly live on fixed incomes and prices may decrease to reflect this income constraint. On the other hand, their need for medicines may be price inelastic. This variable does not add significantly to the model, however. Because the life expectancy of many middle-income countries is lower than age 65, the elderly population may not be a good proxy. Instead, life expectancy at birth (in years) is used. Life expectancy, however, is highly correlated to the Gini coefficient. In fact, life expectancy is often used as an explanatory variable for the Gini in the health inequality literature. Thus, it also does not add significantly to the model.

Neither the market shares of individual firms nor the Herfindahl index in each country is

both linear and nonlinear models. The significance level at which I can reject is high by customary standards (less than 15%) and may reflect the omission of one of the Gini variables (the log of Gini and its square), as well as explicit control for pricing regulations.

VII. Discussion

Other Issues

Whether a drug is available over-the-counter (OTC) or by prescription only will affect the price of the drug. Generally, drugs are cheaper when they have OTC status. This status, however, is not uniform across countries. For example, the non-drowsy antihistamine Claritin is available by prescription only in the United States, but is available OTC in Canada. Thus, it is valuable to include this information in the regressions. To my knowledge, information regarding the OTC or prescription status of a drug in each country is not available.

Prices of drugs may also be influenced by the time length of usage. Lu and Coso be P(1998e mpoma, ind ihe

decineaover-time, -0.9(epricie tor prug) 9.43s muse Ct btrentpchronicsi mpoma, are csetregatiovel Plow, aover 4.56 abecause prug Cte ctanone oitm-1354e. -1.52 (CThe s oi) 29878 em -1354ep -1.52 (t) -354eo -1.52 (m -1354e) -02 e m Pctanone oitm-1354e.

REFERENCES

Alexander, Donald L., Joseph E. Flynn, and Linda A. Linkins. 1994. "Estimates of the demand for ethical pharmaceutical drugs across countries and time," *Applied Economics* 26: 821-826.

Ballance, Robert, Janos Pogany, and Helmut Forstner. 1992. *The World's Pharmaceutical Industries: An International Perspective on Innovation, Competition, and Policy*. A

- demand for pharmaceutical products: an examination of four cephalosporins," *RAND Journal of Economics* 28 (3): 426-446.
- Espicom Business Intelligence. 1995. *Pharmaceutical Markets of South East Asia*.
- Feachem, Richard G., et al. 1992. *The health of adults in the developing world*. A World Bank Book. Oxford University Press: New York.
- Flegg, A.T. 1982. "Inequality of income, illiteracy and medical care as determinants of infant mortality in underdeveloped countries," *Population Studies* 36 (3): 441-458.
- Frech, H.E.,III, and Richard D. Miller, Jr. 1999. *The productivity of health care and pharmaceuticals: an international comparison*. The AEI Press.
- Ganslandt, Mattias, Keith E. Maskus, and Eina V. Wong. 2001. "Developing and distributing essential medicines to poor countries: the DEFEND proposal," *World Economy* 24(6): 779-795.
- GAO. 1992. "Prescription drugs: companies typically charge more in the United States than in Canada," Report to the Chairman, Subcommittee on Health and the Environment,

 Committee on Energy and Commerce, House of Representatives, General Accounting

 Office: GAO/HRD-92-110.
- GAO. 1994. "Prescription drugs: companies typically charge more in the United States than in the United Kingdom," Report to the Chairman, Subcommittee on Health and the Environment, Committee on Energy and Commerce, House of Representatives, General Accounting Office: GAO/HEHS-94-29.
- Kjellstrom, Tord, Jeffrey P. Koplan, and Richard B. Rothenberg. 1992. "Current and future determinants of adult ill-health." In Richard G.A. Feachem et al, eds., *The Health of Adults in the Developing World*. Oxford University Press: New York.

- Lancet, The. 2001. "South Africa's moral victory." Vol. 357 (9265), 28 April.
- Lanjouw, Jean. 1998. "The introduction of pharmaceutical product patents in India: 'Heartless exploitation of the poor and suffering?'" NBER working paper 6366.
- Le Grand, Julian. 1987. "Inequalities in health: some international comparisons," *European Economic Review* 31: 182-191.
- Lu, Z. John, and William S. Comanor. 1998. "Strategic pricing of new pharmaceuticals," *The Review of Economics and Statistics* 80 (1): 108-118.
- Makinen, M., H. Waters, M. Rauch, N. Almagambetova, R. Bitran, L. Gilson, D. McIntyre, S. Pannarunothai, A.L. Prieto, G. Ubilla, & S. Ram. 2000. "Inequalities in health care use and expenditures: empirical data from eight developing countries and countries in transition," *Bulletin of the World Health Organization* 78 (1): 55-65.
- Mapelli, Vittorio. 1993. "Health needs, demand for health services and expenditure across social groups in Italy: An empirical investigation," *Social Science and Medicine* 36 (8):999-1009.
- Maskus, Keith E. 2001. "Parallel imports in pharmaceuticals: implications for competition and prices in developing countries," Final report to the World Intellectual Property Organization.
- NERA. 1998. *The health care system in Mexico*. Pharmaceutical Partners for Better Health Care.

831): 555.3n

s and new,-16lre acrossiss

- cross-section analysis," *Population Studies* 33 (2): 343-351.
- Scherer, F.M. and Jayashree Watal. 2001. "Post-Trips Options for Access to Patented Medicines in Developing Countries," WHO Commission on Macroeconomics and Health, working paper no. WG4:1.
- Schut, Frederick T. and Peter A.G. van Bergeijk. 1986. "International price discrimination: the pharmaceutical industry," *World Development* 14 (9): 1141-1150.
- Schweitzer, Stuart O. 1997. *Pharmaceutical Economics and Policy*. Oxford University Press: New York.
- Sundrum, R.M. 1990. Income Distribution in Less Developed Countries. Routledge: London.
- USITC. 2000. Pricing of Prescription Drugs. Investigation no. 332-419. Publication no. 3333.
- Wong, Eina. 2002. "Inequality and pharmaceutical drug prices: a theoretical exercise," working paper.

World Bank. 2001. World Bank Development Indicators.

WHO.

Appendix. Summary of Pharmaceutical Regulations by Country (1994-1998 period)

United Kingdom	profit controls ^b , price controls (limited) ^a
Japan	drug reimbursement limits ^b , parallel trade ^c
Italy	price controls, parallel trade ^b
Spain	price and profit controls (substantial) ^a
Brazil	price controls (limited) ^a , lack of IP enforcement
Mexico	price controls (substantial), price freezes ^a
Czech Republic	price and profit controls (extensive) ^d
Canada	price controls (limited) ^a
Korea	price controls (substantial) ^a
Thailand	price controls on essential drugs ^a , lack of IP enforcement, parallel trade ^e
Sweden	price controls (substantial) ^a
South Africa	lack of IP enforcement
United States	price controls on drugs in Medicare/Medicaid/VA programs

^a Ballance et al (1992) ^b Danzon (1997)

^c Maskus (2001)

^dOckova (1997)

^eEspicom (1995)

Table 1: No	orth Ame	<u>erican D</u>	rug Price	<u>e Compar</u>	isons, 1	<u>994 and</u>	1998	
			Mexican Pr	rice/US Price	Canadiar	n Price/US	Mexican/Ca	nadian Price
<u>Brand</u>	<u>Form</u>	Strength	<u>1994</u>	<u>1998</u>	<u>1994</u>	<u>1998</u>	<u>1994</u>	<u>1998</u>
		_	0.700	0.704		0.040	0.704	
Norvasc	tablet	5 mg	0.738	0.734	1.009	0.812	0.731	0.905
Norvasc	tablet	10 mg			0.866	0.716		
Lipitor	tablet	10 mg				0.718		
Lipitor	tablet	20 mg				0.579		
Lipitor	tablet	40 mg				0.515		
Pulmicort	powder	100Y						1.085
Pulmicort	powder	200Y				0.432		
Sandummune	capsule	100 mg	1.513	1.172	1.004		1.507	
Sandummune	capsule	25 mg	1.658	1.338	1.022		1.623	
Sandummune	capsule	50 mg			0.939			
Sandummune	liquid	100 mg	1.480	1.457	0.894		1.655	
Sandummune	ampoule	50 mg	1.768	0.565				
Neoral	capsule	25 mg		1.719		0.032		53.972
Neoral	capsule	50 mg						2.282
Neoral	capsule	100 mg		1.639		0.784		2.091
Neoral	liquid	100 mg		1.547		0.624		2.480
Cipro	liquid	500 mg				0.520		
Cipro	infusion	2 mg						1.099
Cipro	tablet	250 mg			0.743	0.558		
Cipro	tablet	500 mg			0.733	0.542		
Cipro	tablet	750 mg			0.780	1.001		
Vasotec	vial	1.25 mg			0.961	0.846		
Plendil	tablet	5 mg	1.064	0.896	0.001	0.0.0		
Diflucan	tablet	50 mg	1.001	0.000	0.987	0.885		
Diflucan	tablet	100 mg			1.132	0.995		
Diflucan	capsule	150 mg			1.102	0.000		1.343
Diflucan	liquid	50 mg						1.226
Lasix	ampoule	20 mg	0.339	0.562				1.220
Lasix	tablet	20 mg	0.339	0.308	0.415	0.315	0.429	0.978
Lasix	tablet	40 mg	0.178	0.308	0.468	0.313	0.429	1.348
			0.323	0.474	0.483	0.332	0.009	1.340
Lasix	tablet	80 mg	0.144				0.121	
Lasix Lasix	liquid	10 mg	0.144		1.193	0.770	0.121	
	vial	10 mg	0.040	0.074	3.050			
Zoladex	syringe	3.6 mg	0.846	0.974			0.004	0.050
Atrovent	press	20Y				0.000	0.321	0.652
Atrovent	liquid	0.03%				0.002		
Atrovent	liquid	0.06%				0.004		0.510
Atrovent	liquid	250Y						0.512
Imdur	tablet	60 mg			0.40:	0.0:-	1.114	
Claritin	tablet	10 mg			0.404	0.318		
Claritin	liquid	1 mg				0.187		
Cozaar	tablet	50 mg		0.908		0.756		1.201
Cozaar	tablet	25 mg				0.763		
Seloken	tablet	50 mg			0.442	0.332		
Seloken	tablet	100 mg	0.573	0.398	0.456	0.386	1.256	1.032
Zyprexa	tablet	5 mg				0.516		
Zyprexa	tablet	10 mg				0.679		
Zyprexa	tablet	7.5 mg		\top		0.773		

capsule capsule capsule tablet	10 mg 20 mg 40 mg	0.707	0.325 0.549				
capsule tablet	U	0.707	0.540				
tablet	40 mg		0.549	0.545		1.298	
			0.727				
toblot	10 mg	1.043	0.896	0.824	0.651	1.265	1.376
tablet	20 mg	1.811	1.588	0.922	0.727	1.965	2.185
tablet	40 mg				0.533		
tablet	150 mg	0.257	0.190				
tablet	300 mg	0.280	0.210				
liquid	15 mg			8.435	22.333		
tablet	150 mg			0.657	0.522		
tablet	300 mg			0.607	0.517		
capsule	300 mg			0.561			
capsule	150 mg			0.620	0.679		
vial	25 mg			0.342	0.636		
tablet	1 mg	0.455	0.275				
tablet	2 mg	0.547	0.333				
tablet	3 mg	0.657	0.419				
liquid	1 mg				0.330		
capsule	50 mg					1.261	0.938
capsule	100 mg					1.668	1.904
tablet	5 mg		0.524	0.692	0.453		1.156
tablet	10 mg	0.959	0.818	0.898	0.740	1.068	1.106
tablet	20 mg	1.064	0.926	0.607	0.520	1.752	1.782
tablet	40 mg				0.656		
tablet	50 mg		0.326		0.719		0.453
tablet	100 mg					1.023	0.795
syringe	6 mg	0.410	0.228	0.460	0.314	0.892	0.726
liquid	20 mg		0.002		0.093		0.019
liquid	5 mg				0.514		
vial	6 mg			1.256	0.743		
tablet	5 mg					0.873	1.141
powder	500Y					1.240	2.043
tablet	75 mg		1.226	1.397	1.091		1.124
tablet	37.5 mg		0.755	0.760	0.595		1.269
tablet	50 mg		0.875				
	tablet tablet liquid tablet tablet capsule capsule vial tablet	tablet 150 mg tablet 300 mg liquid 15 mg tablet 300 mg tablet 150 mg tablet 300 mg capsule 300 mg capsule 150 mg vial 25 mg tablet 1 mg tablet 2 mg tablet 3 mg liquid 1 mg capsule 50 mg capsule 100 mg tablet 5 mg tablet 5 mg tablet 10 mg tablet 50 mg tablet 5 mg tablet 50 mg liquid 5 mg vial 6 mg tablet 5 mg powder 500Y tablet 75 mg tablet 75 mg tablet 75 mg	tablet 150 mg 0.257 tablet 300 mg 0.280 liquid 15 mg 150 mg tablet 300 mg 25 mg tablet 300 mg 300 mg capsule 300 mg 300 mg capsule 150 mg 300 mg tablet 1 mg 0.455 tablet 2 mg 0.547 tablet 3 mg 0.657 liquid 1 mg 0.657 liquid 5 mg 1.064 tablet 5 mg 1.064 tablet 10 mg 1.064 tablet 40 mg 1.064 tablet 50 mg 0.410 liquid 20 mg 0.410 liquid 5 mg 0.410 tablet 500Y 0.410 <td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 150 mg 150 mg tablet 300 mg 25 mg 25 mg tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.657 0.419 liquid 1 mg 0.524 0.524 tablet 5 mg 0.524 0.524 tablet 10 mg 0.926 0.818 tablet 20 mg 1.064 0.926 tablet 40 mg 0.326 0.326 tablet 100 mg 0.326 0.002 liquid 20 mg 0.002 liquid 20 mg 0.002 liquid 5 mg 0.002 liquid 5 mg 0.002 tablet 5 mg 0.002 tablet</td> <td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 tablet 150 mg 0.657 tablet 300 mg 0.561 capsule 150 mg 0.620 vial 25 mg 0.342 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.657 0.419 liquid 1 mg 0.524 0.692 tablet 50 mg 0.524 0.692 tablet 10 mg 0.959 0.818 0.898 tablet 20 mg 1.064 0.926 0.607 tablet 40 mg 0.326 0.460 tablet 100 mg 0.002 0.002 liquid 5 mg 0.460 0.002 liquid 5 mg 0.002 0.002<td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 tablet 20 mg 0.024 0.092 0.453 tablet 40 mg 0.326 0.607 0.520 tablet 50 mg 0.326 0.719 0.656 tablet 50 mg 0.028</td><td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.330 capsule 50 mg 0.419 liquid 1 mg 0.330 capsule 50 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 1.752 tablet 40 mg 0.326 0.749 1.023 tablet 50 mg 0.</td></td>	tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 150 mg 150 mg tablet 300 mg 25 mg 25 mg tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.657 0.419 liquid 1 mg 0.524 0.524 tablet 5 mg 0.524 0.524 tablet 10 mg 0.926 0.818 tablet 20 mg 1.064 0.926 tablet 40 mg 0.326 0.326 tablet 100 mg 0.326 0.002 liquid 20 mg 0.002 liquid 20 mg 0.002 liquid 5 mg 0.002 liquid 5 mg 0.002 tablet 5 mg 0.002 tablet	tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 tablet 150 mg 0.657 tablet 300 mg 0.561 capsule 150 mg 0.620 vial 25 mg 0.342 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.657 0.419 liquid 1 mg 0.524 0.692 tablet 50 mg 0.524 0.692 tablet 10 mg 0.959 0.818 0.898 tablet 20 mg 1.064 0.926 0.607 tablet 40 mg 0.326 0.460 tablet 100 mg 0.002 0.002 liquid 5 mg 0.460 0.002 liquid 5 mg 0.002 0.002 <td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 tablet 20 mg 0.024 0.092 0.453 tablet 40 mg 0.326 0.607 0.520 tablet 50 mg 0.326 0.719 0.656 tablet 50 mg 0.028</td> <td>tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.330 capsule 50 mg 0.419 liquid 1 mg 0.330 capsule 50 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 1.752 tablet 40 mg 0.326 0.749 1.023 tablet 50 mg 0.</td>	tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 tablet 20 mg 0.024 0.092 0.453 tablet 40 mg 0.326 0.607 0.520 tablet 50 mg 0.326 0.719 0.656 tablet 50 mg 0.028	tablet 150 mg 0.257 0.190 tablet 300 mg 0.280 0.210 liquid 15 mg 8.435 22.333 tablet 150 mg 0.657 0.522 tablet 300 mg 0.607 0.517 capsule 300 mg 0.561 0.620 0.679 vial 25 mg 0.342 0.636 tablet 1 mg 0.455 0.275 tablet 2 mg 0.547 0.333 tablet 3 mg 0.657 0.419 liquid 1 mg 0.330 capsule 50 mg 0.419 liquid 1 mg 0.330 capsule 50 mg 0.524 0.692 0.453 tablet 5 mg 0.524 0.692 0.453 tablet 10 mg 0.926 0.607 0.520 1.752 tablet 40 mg 0.326 0.749 1.023 tablet 50 mg 0.

Ola wisina	li av. vi al	F			0.000	0.054				
Claritin	liquid	5 mg		0.774	0.306	0.251		4.000		0.004
Cozaar	tablet	50 mg		0.774		0.775		1.038	0.005	0.861
Seloken	tablet	50 mg							3.625	4.583
Seloken	tablet	100 mg	1.106	1.292		3.157	1.433	1.618	3.010	3.764
Seloken	tablet	200 mg	0.760	0.907		0.191			2.014	2.678
Nicorette	special sol	2 mg	1.109	1.282	1.018	0.863	0.545	1.113	0.900	0.839
Nicorette	special sol	4 mg			1.224	1.050	0.537	1.124	1.034	0.826
Nicorette	dressing	5 mg	1.057	1.117				0.796	1.099	0.940
Nicorette	dressing	10 mg	1.003	1.051				0.741	0.987	0.817
Nicorette -	dressing	15 mg	1.049	1.074		. =		0.735	0.921	0.780
Zyprexa	tablet	5 mg		0.738		0.748		0.774		0.980
Zyprexa	tablet	10 mg		0.737		0.746		0.777		0.961
Zyprexa	tablet	7.5 mg				0.746		0.724		0.980
Zyprexa	tablet	2.5 mg								0.993
Prilosec	capsule	10 mg						0.656		1.202
Prilosec	capsule	20 mg	0.876	0.899	0.919	0.893	0.829	0.760	1.278	1.093
Prilosec	capsule	40 mg								0.989
Pravachol	tablet	10 mg	0.803		0.899	0.734		0.667		
Pravachol	tablet	20 mg	0.868	0.593	0.686	0.542		0.477	0.797	0.746
Pravachol	tablet	40 mg								0.627
Zantac	ampoule	50 mg	0.472	0.468	0.353	0.336	1.101	0.674		
Zantac	tablet	150 mg	1.045	0.802	0.928	0.638	0.547	0.414		
Zantac	tablet	300 mg	1.044	0.793	0.852	0.619	0.551	0.528		
Zantac	liquid	150 mg		0.554						
Zantac	tablet	150 mg						0.444		
Risperdal	tablet	1 mg		0.569	0.820	0.658		0.573		
Risperdal	tablet	2 mg		0.572				0.581		
Risperdal	tablet	3 mg		0.592	0.838	0.674		0.586		
Risperdal	tablet	4 mg		0.592				0.604		
Zoloft	tablet	50 mg		0.668	0.706	0.584				0.747
Zoloft	tablet	100 mg			0.708	0.607				0.978
Zocor	tablet	10 mg	0.789	0.999			1.142	0.884	0.920	0.863
Zocor	tablet	20 mg	0.815	0.605			1.020	0.667	0.892	0.830
Zocor	tablet	40 mg		0.837						0.653
Imitrex	tablet	50 mg		0.591		0.705			1.240	0.797
Imitrex	tablet	100 mg	0.842	0.734				0.853	1.043	0.918
Imitrex	syringe	6 mg	0.820	0.710	0.762	0.630		0.778		
Imitrex	liquid	20 mg				0.766				
Bricanyl	tablet	5 mg			1.510	1.278				
Bricanyl	tablet	7.5 mg			1.019	0.857				
Bricanyl	powder	0.5 mg					0.348	0.405		
Bricanyl	liquid	1.5 mg			0.830	0.807				
Bricanyl	press	0.25 mg							3.500	3.263
Bricanyl	ampoule	0.5 mg			0.154	0.128	0.681	0.599		
Effexor	tablet	75 mg		1.029		0.826		1.050		1.145
Effexor	tablet	37.5 mg		0.931		0.836		0.976		0.976
Effexor	tablet	50 mg		0.903		0.795				1.006
Effexor	capsule	75 mg		0.900						
Effexor	capsule	150 mg		1.083						
Imovane	tablet	7.5 mg					0.810	0.550		
		count	21	56	13	60	21	63	21	55
			31	56 0.764	43	60 0.763	31 1.050	63 3 605	31	
		average	0.878	0.764	0.853	0.763	1.059	2.605	1.340	1.166
		st dev	0.288	0.227	0.354	0.453	0.730	14.468	0.956	0.826
<u> </u>		median	0.878	0.773	0.847	0.715	1.020	0.751	1.038	0.961

Source: IMS Health

Risperdal	liquid	1 mg		0.406										0.225
Zoloft	tablet	50 mg	0.733	0.759				0.414	0.720	0.446		0.489		
Zoloft	tablet	100 mg						0.872						
Zocor	tablet	5 mg		0.512		0.524						0.411		
Zocor	tablet	10 mg	0.561	0.638	0.959	0.818	0.719	0.550		0.425	0.866	0.583	1.069	0.793
Zocor	tablet	20 mg		0.645	1.064	0.926	0.607	0.402				0.364	0.387	0.285
Zocor	tablet	40 mg		0.957										0.583
Imitrex	tablet	50 mg		0.265		0.326				0.287		0.251		
Imitrex	syringe	6 mg	0.279	0.210	0.410	0.228		0.320				0.246	0.471	0.226
Imitrex	liquid	20 mg				0.002								0.089
Effexor	tablet	75 mg		1.177		1.226		1.189						0.830
Effexor	tablet	37.5 mg		0.884		0.755		0.720						0.456
Effexor	tablet	50 mg		0.905		0.875								0.577
Effexor	capsule	75 mg				0.739								
Effexor	capsule	150 mg				1.199								
		count	18	41	23	36	10	30	12	21	16	29	22	42
		average	0.732	0.793	0.818	0.773	0.621	0.539	0.677	0.442	0.657	0.496	1.031	0.646
		st dev	0.814	0.632	0.528	0.464	0.533	0.395	0.296	0.246	0.429	0.318	0.703	0.441
		median	0.597	0.685	0.707	0.737	0.551	0.424	0.674	0.415	0.513	0.411	0.692	0.531

Source: IMS Health

