



Band gap narrowing in ordered and disordered semiconductor alloys

S. H. Wei and Alex Zunger

Citation: [Applied Physics Letters](#) 56, 662 (1990); doi: 10.1063/1.103307

View online: <http://dx.doi.org/10.1063/1.103307>

View Table of Contents: <http://scitation.aip.org/content/aip/journal/apl/56/7?ver=pdfcov>

Published by the [AIP Publishing](#)

Articles you may be interested in

[Enhancement of conduction band effective mass in III-V semiconductor alloys induced by chemical disorder](#)
J. Appl. Phys. 80, 6761 (1996); 10.1063/1.363804

[Band gap tailoring in amorphous hydrogenated germanium nitrogen alloys](#)
AIP Conf. Proc. 378, 300 (1996); 10.1063/1.51110

[Atomic antimony for molecular beam epitaxy of high quality III-V semiconductor alloys](#)
J. Vac. Sci. Technol. B 14, 2335 (1996); 10.1116/1.588854

[Smooth etching of various III/V and II/VI semiconductors by Cl₂ reactive ion beam etching](#)
J. Vac. Sci. Technol. B 14, 1764 (1996); 10.1116/1.588554

[Electronic structure and stability of II-VI semiconductors and their alloys: The role of metal d bands](#)
J. Vac. Sci. Technol. A 6, 2597 (1988); 10.1116/1.575515
