


Functionality-Directed Screening of Pb-Free Hybrid Organic–Inorganic Perovskites with Desired Intrinsic Photovoltaic Functionalities

D. Y. ^{†,‡} J. L. ^{†,‡} X. Z. [†] Q. L. X. [†] Y. F. [†] Y. Z. [§] A. Z. ^{*,‡}
a d L Z a ^{*,‡,||} 



$[\text{CH}_3\text{NH}_3]\text{P I}_3$ (1.5 V)^{27,28} a $[\text{CH}_3\text{NH}_3]\text{P B}_3$ (2.35 V)²⁹
 i a a 1.34 V S -Q i
 i i,³⁰ a i i a i a i
 a a , i a ia aa i ia a a
 i i - a ,³¹ .

Can the Current Limitations Be Overcome by
 Identifying Other Compounds from the Same General
 Group? I i ai a ai $\text{AM}^{\text{IV}}\text{X}^{\text{VII}}_3$ a ia
 a i i a i ia i .
 Gi a i i a (
 Fi 1a) a i A = CH_3NH_3^+ ,

i ia a i i i (a i
 Sia PV a). H , a i ai
 i i i ai-i ai i
 a i a i ia a i a i
 a a .⁴²⁻⁴⁵
 H a a i ai - i a ia i
 a a ia i - a PV i $\text{AM}^{\text{IV}}\text{X}^{\text{VII}}_3$ i .
 S a a i ia, i - a / / / / / a a a
 a i i ia
 i i ai a a a ai ai i
 18- Ha -H i a .^{46,47} W i
 i i / a a i
 i a ai a a . T a a
 i i a ia i i a i
 i ia i i i (a
 i ai a i ai) a (4449(()-
 XVII
 3

$\text{CH}(\text{NH}_2)_2^+$, $\text{M}^{\text{IV}} = \text{P}$ a $\text{X}^{\text{VII}} = \text{I, B}$,^{10,11,13,22,24,32-36}
 a i i a a a a a . A
 a ai a ia a i a i
 a i i a i a i a i i
 i i .³⁷⁻³⁹ I i a , a ia i
 ia ai a i ai i a a a i
 i ia-a - i a a a
 ai . T a ia i -
 ia , a i a i
 a a i ia, a ia - i " / / / / / " (DP)
 a a ia i i a - i .
 T i a " / / / / / " (DM), i DP, i
 i a i i PV a ia , i a
 a a a i PV a ia , i a
 a i a i i i
 DM ,^{40,41} I i i , DM a i i i i i
 a ia i a PV a a
 i a i , a , a i ii , ia-
 i i i , a a i , . i a i -

i i , , t , t . O ai i a a a
a i - a i i i a a
(i., i i i i S i 2) a
a ai i i

i a a a i P X^{VI}.⁵³ T i i a
X^{VII} a M^{IV} i i i i VB a a i a

a i a i a a i Fi 5. T
DM * a * a i Fi 7. I

i a a a - a i i i . O
i i , , a a i i i

a i a i i , i , i
a a i , i i
F i i a i . T i a a

i - a i i i , i
a i a ia ia ii .
(4) Sufficiently Low Binding Energy and Large
Localization Radius for Electron-Hole Pairs. O

a a i a a i
a i a a - ai (i. , i)
i . T i i a a i i i a-

4+. ^{84,85} (iii) A a a i a i
 a a i i , a i
 i i a i a i i a . N , , a
 a i i i a a G - a i i
 i a a i a i
^{79,80} i i i , , a i a i i
 i a , [FA]P I₃, a i
 i a i a a
 i a a . ⁸⁶
 W a a a i a a i a a -
 i i a i a a t a a a
 a a a i a (Fi 3) a a i a a i

^{28,38,49} T i a , i P - a a
 S - a a a a i i a a ,
 a G - a i i a i

a i i . F i a i AM^{IVXVII}₃ a i , a i a i i
 a a i i i a a i i i 0.81 <
 $t < 1.11$ a 0.44 < < 0.90. ⁸⁷ W a a a
 a i a a i a a i t, [EA,
 GA, DEA]G C₃ a a a 1.11.
 T a a a a a
 i . T i Fi 3
 AM^{IVXVII}₃ i a a i t. G a
 a i i i : P / S a a i a i
 $t < 0.97$ (a i i) a G a i t > 0.97
 (a i). F , a
 a a a t, a i
 a i i (i. , i i). T i a i
 i i i ⁸⁸ a a a t
 1.0 i a a a i i AM^{IVXVII}₃ i
 i . A a a t (<0.89),
 i a [CH₃NH₃]P I₃, i i -
 i i i M^{IVXVII}₆ a (a i
 a a a) i a a a
 a a i i (a a) a
 a . ⁴⁹ I i / a
 a a a i a i a a i
 a i i a a i a i a i
 a a . T i a i a -
 a a AM^{IVXVII}₃ i i a i

a * a a a *, i i i i
 a i i i i *
a i * . B * a * i a i
i i i i . F S a G a
 , a a * i a i i i
A⁺ a i . T a ! (Fi 6),
i a i a i /

$M^{IV}-X^{VII}$

