

Rapid Interactions between Lexical Semantic and Word Form Analysis during Word Recognition in Context: Evidence from ERPs

Albert Kim¹ and Vicky Lai²

Abstract

■ We used ERPs to investigate the time course of interactions between lexical semantic and sublexical visual word form processing during word recognition. Participants read sentence-embedded pseudowords that orthographically resembled a

Stringfellow, & Marantz, 2002; Bentin, Mouchetant-Rostaing, Giard, Echallier, & Pernier, 1999; Tarkiainen, Helenius, Hansen, Cornelissen, & Salmelin, 1999; Nobre,

Materials

reflected the component's scalp distribution in our data as well as typical analysis sites for that component in the literature. The P1 was analyzed at three occipital channels (O1, OZ, and O2), the N170 at occipital and occipital-temporal channels (OZ, PO7, and PO8), and the N400 and P600 at three frontal-to-parietal midline channels (FZ, CZ, PZ). Figure 1 highlights channels used in analyses. Analyses were repeated measures ANOVAs with factors Condition (control, supported pseudoword, no-support pseudoword, and nonword) and Channel (three levels, depending on component; see above). Significant main effects of Condition were followed by pairwise comparisons between conditions. The Greenhouse–Geisser (1959) correction was applied to comparisons with more than 1 degree of freedom.

RESULTS

All experimental conditions elicited a positive-going occipital P1 peak at 120

control, nonword, and no-support pseudoword did not differ from each other. The supported pseudoword P130 effect appeared larger over the left than the right hemisphere occipital channels (Figure 2B), but there was no Condition \times Channel interaction.

N170 (175–205 msec)

No-support pseudowords and nonwords enhanced the occipital–temporal N170 component (Figure 2C). This was confirmed by a main effect of Condition [$F(3, 57) = 5.01, p < .005$], which reflected more negative voltages for no-support pseudowords relative to controls [$F(1, 19) = 4.54, p < .05$] and for nonwords relative to controls [$F(1, 19) = 6.76, p < .05$]. Supported pseudowords did not differ from controls. There were no interactions between con-

We propose that the findings reflect a rapidly occurring combination of top-down and bottom-up processing, resulting in strong activation of lexical features (CAKE) and word form features (e.g., “ca-,” “-ak-”), which highlights the anomaly of the bottom-up input (“ceke” vs. “cake”). More specifically, we suggest that the P130 effect reflects the following recurrent processing events: First, before stimulus onset, context-driven anticipatory priming (Altmann & Mirković, 2009) drives partial activation of lexical features (e.g., CAKE) and constituent word form features (“ca-,” “-ak-”) for a contextually appropriate word. Second, the physical input “ceke” is partially consistent with and pro-

Speed of Information Flow within Visual Cortex

The current results contribute to recent findings of lexical semantic influences on early brain responses, contradicting a widely held view within the ERP and MEG literature that such influences do not occur until after ~200 msec poststimulus onset. We emphasize here that the newer findings are consistent with what is known about the speed of information flow within the visual system, based on physiological and anatomical findings (Foxe & Simpson, 2002; Lamme & Roelfsema, 2000). The feedforward–

Acknowledgments

We thank Tim Curran, Randy O'Reilly, Akira Miyake, and three anonymous reviewers for their helpful comments on this manuscript.

Reprint requests should be sent to Albert Kim, Institute of Cognitive Science, University of Colorado, Box 594 UCB, Boulder, CO 80309, or via e-mail: albert.kim@colorado.edu.

Notes

1. Dehaene et al. (2005) describe the extraction of such visual features as the “front end” of visual word recognition; the processes that generate orthographic representations are often not addressed explicitly by models of word recognition, which instead assume orthographic representations as bottom-level input.
2. Sixteen of the items (9%) in our actual lists were not included in the cloze test, because of edits to the stimuli that occurred after the cloze test.
3. We assume that cortical systems “settle” into locally stable states through a process of lateral inhibitory competition, which can be accelerated when top-down feedback boosts one representation and enhances its ability to inhibit its competitors (cf. O'Reilly, 1998).

REFERENCES

- Altmann, G. T. M., & Mirković, J. (2009). Incrementality and prediction in human sentence processing. *Cognitive Science*, 33, 583–609.
- Bentin, S., McCarthy, G., & Wood, C. C. (1985). Event-related potentials, lexical decision and semantic priming. *Electroencephalography and Clinical Neurophysiology*, 60, 343–355.
- Bentin, S., Mouchetant-Rostaing, Y., Giard, M. H., Echallier, J. F., & Pernier, J. (1999). ERP manifestations of processing printed words at different psycholinguistic levels: Time course and scalp distribution. *Journal of Cognitive Neuroscience*, 11, 235–260.
- Dambacher, M., Rolfs, M., Göllner, K., Kliegl, R., & Jacobs, A. M. (2009). Event-related potentials reveal rapid verification of predicted visual input. *PLoS ONE*, 4, e5047.
- Dehaene, S., Cohen, L., Sigman, M., & Vinckier, F. (2005). The neural code for written words: A proposal. *Trends in Cognitive Sciences*, 9, 335–341.
- Dell'Acqua, R., Sessa, P., Peressotti, F., Mulatti, C., Navarrete, E., & Grainger, J. (2010). ERP evidence for ultra-fast semantic processing in the picture-word interference paradigm. *Frontiers in Language Sciences*, 1, 177.
- DeLong, K. A., Urbach, T. P., & Kutas, M. (2005). Probabilistic word pre-activation during language comprehension inferred

- Plaut, D. C., McClelland, J. L., Seidenberg, M. S., & Patterson, K. (1996). Understanding normal and impaired word reading: Computational principles in quasi-regular domains. *Psychological Review*, 103, 56–115.
- Pylkkänen, L., & Marantz, A. (2003). Tracking the time course of word recognition with MEG. *Trends in Cognitive Sciences*, 7, 187–189.
- Pylkkänen, L., Stringfellow, A., & Marantz, A. (2002). Neuromagnetic evidence for the timing of lexical activation: An MEG component sensitive to phonotactic probability but not to neighborhood density. *Brain and Language*, 81, 666–678.
- Reppen, R., & Ide, N. (2004). The American National Corpus: Overall goals and the first release. *Journal of English Linguistics*, 32, 105–113.
- Riesenhuber, M., & Poggio, T. (1999). Hierarchical models of object recognition in cortex. *Nature Neuroscience*, 2, 1019–1025.

This article has been cited by:

1. DAVID WILKINSON, HEATHER J. FERGUSON, ALAN WORLEY. 2012. Galvanic vestibular stimulation modulates the electrophysiological response during face processing. *Visual Neuroscience* 1-8. [[CrossRef](#)]
2. Agustin Ibanez, Margherita Melloni, David Huepe, Elena Helgiu, Alvaro Rivera-Rei, Andrés Canales-Johnson, Phil Baker, Alvaro Moya. 2012. What event-related potentials (ERPs) bring to social neuroscience?. *Social Neuroscience* 1-18. [[CrossRef](#)]
3. Eva Gutierrez, Deborah Williams, Michael Grosvald, David Corina. 2012. Lexical access in American Sign Language: An ERP investigation of effects of semantics and phonology. *Brain Research* . [[CrossRef](#)]
4. Albert E. Kim, Jana Straková. 2012. Concurrent effects of lexical status and letter-rotation during early stage visual word recognition: Evidence from ERPs. *Brain Research* . [[CrossRef](#)]